## Amended Claims

 (currently amended) A pharmaceutical composition, wherein the composition: comprising

<u>comprises</u> a polytartrate polymer and at least one pharmaceutically active material, <u>characterised in that the composition</u>

is capable of releasing the pharmaceutically active material in a pulsatile manner when the composition is administered to a human or other animal, and

is in the form of a obtainable by forming the tablet prepared with a tablet press using a compression force between of from 10 to [[and]] 65 kN/cm<sup>2</sup>.

- (currently amended) The composition according to claim 1, wherein the compression force in the tablet press characterised in that the composition is nt-a compression-force-between from 20 to [[and]] 50 kN/cm².
- (currently amended) The composition according to claim 1, wherein eharacterised in that the polytartrate polymer forms degradation products that increase the pressure inside the composition when the composition is administered to a human or other animal.
- 4. (currently amended) The composition according to claim 3, wherein the degradation products comprise at least one compound selected from the group consisting of characterised in that the polytartrate-polymer-forms during degradation a C1 to C4 alcohol, aldehyde, [[or]] ester, and [[or]] acctone.
- 5. (currently amended) The composition according to claim 4, wherein the degradation products comprise at least one compound selected from the group consisting of characterised that the polytartrate polymer-forms during degradation methanol, ethanol, propanol, isopropanol, and [[or]] acctone.

Appl. No. 10/501,284 Amendment B March 26, 2008

(currently amended) The composition according to claim 1, wherein eharacterised in-that the polytartrate polymer is a polycondensate selected from the group of polycondensates of:

dimethyl tartrate; [[,]] diethyl tartrate; [[,]] diisopropyl tartrate; or <u>one or more</u> copolymers <u>of at least two of dimethyl tartrate</u>, <u>diethyl tartrate</u>, <u>and diisopropyl tartrate</u>; thereof and

one or more 2,3-O-alkylidenetartaric acid derivatives.

- (currently amended) The composition according to claim 6, wherein eharacterised in that the polytartrate polymer is 2'3'-(1',4'-diethyl)-L-tartryl poly-(2,3-O-isopropylidene)-L-tartrate.
- (currently amended) The composition according to the claim 1, wherein eharacterised in that the polytartrate polymer has a glass transition temperature that is greater than 40°C.
- (currently amended) The composition according to claim 1, wherein eharacterised in that the pharmaceutically active material comprises at least one material [[is]] selected from the group consisting one-or-more of antigens, antibodies, and [[or]] pharmaceutical substances.
- 10. (currently amended) The composition according to claim 9, wherein characterised in that the pharmaceutically active material is a GnRH agonist.
- 11. (currently amended) The composition according to claim 10, wherein characterised in that the pharmaceutically active material is buserelin.
- 12. (currently amended) The composition according to claim [[11]] 10, wherein characterised in that the pharmaceutically active material is azagly nafarelin.

Appl. No. 10/501,284 Amendment B March 26, 2008

- 13. (currently amended) The composition according to claim 1, wherein characterised in that the composition additionally comprises one or more [[of]] pharmaceutically acceptable excipients or adjuvants.
- 14. (currently amended) <u>A process</u> Process for <u>preparing</u> the <u>preparation of</u> a polytartrate composition according to claim 1, <u>wherein the process comprises</u>: <u>involving the steps of</u>
- a) mixing an effective amount of a pharmaceutically active material with  $\underline{a}$  [[the]] polytartrate polymer,  $\underline{and}$
- b) shaping the mixture with [[by a]] tabletting equipment to form compressed tablets by applying a compression force of from between 10 to [[and]] 65 kN/cm<sup>2</sup>.
- 15. (currently amended) <u>The process</u> according to claim 14, <u>wherein</u> eharacterised in that the pharmaceutically active material and the polytartrate polymer are mixed in a powdered form.
- 16. (currently amended) The process according to claim 14, wherein characterised in that the mixture is sieved and optionally additional tabletting excipients are added to the mixture.
- 17. (currently amended) A method of administering a pulsatile pharmaceutically active material to a [[body]] <u>human or other animal</u>, <u>wherein the method comprises</u> eomprising the step of administering the composition of Claim 1 to the [[body]] <u>human or other animal</u>.
- 18. (currently amended) The method of Claim 17, wherein the method comprises administering the composition of Claim 1 to body is selected from an animal body and a human body.
- 19. (currently amended) A method of administering a pharmaceutically active material to a <u>human or other animal, wherein:</u>

Appl. No. 10/501,284 Amendment B March 26, 2008

the method comprises body comprising the steps of: administering a composition of Claim 1 to the human or other animal, and body wherein

a majority of the pharmaceutically <u>active material</u> is released in at least two phases comprising an initial burst and a second burst.

Claim 20 (canceled).

21. (new) The method of Claim 17, wherein the method comprises administering the composition of Claim 1 to a non-human animal.